



Mapped, edited, and published by the Geological Survey  
Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial  
photographs taken 1966. Field checked 1967

Polyconic projection. 1927 North American Datum  
10,000-foot grid based on Oregon coordinate system,  
south zone. 1000-meter Universal Transverse  
Mercator grid ticks, zone 11, shown in blue  
The difference between 1927 North American Datum and  
North American Datum of 1983 (NAD 83) for 7.5 minute  
intersections is given in USGS Bulletin 1875. The NAD 83  
is shown by dashed corner ticks  
Areas covered by dashed light-blue pattern are subject  
to controlled inundation



CONTOUR INTERVAL 40 FEET  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY  
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Light-duty ——— Unimproved dirt - - - - -

THE ELBOW, OREG.  
43117-E3-TF-024

1967

DMA 2571 III SE-SERIES V892